



Although this checklist is to help you with checking your fence prior to a Pool Safety Solutions Inspector attending your property, careful adult supervision is the Number One method of preventing pool drownings. Please consider the following:

During parties always assign a 'designated adult'. Someone needs to be responsible!

Is there a 900mm clear zone where the pool fence

intersects another fence?

Always supervise swimmers irrespective of age and never swim alone! Always with a buddy!

	GATE		FENCE
YES	Does the gate open away from the pool?	YES	Are all fence panels there?
YES	Is the gate latch 1500mm from the ground?	YES	Are all all fixings tight and secure?
YES	When closed, is it secure and does not pull free? Even when a child bounces on the bottom rail?	YES	Is the gap between the fence and the ground less than 100mm?
YES	Does the gate self close from any position? No Is the gap between the gate and fence less than 10mm?	YES	Are there no gaps greater than 100mm in fence? NO Is there no direct door/window access to
YES	NO Does gate close from resting on strike plate?	YES	pool? Is fence height 1200mm high or higher?
YES	Are the hinges 900mm apart? Or non-climbable?	YES	Is the fence free of sharp hazards and edges?
YES	Is the gap between the gate and the ground less than 100mm?	YES	Is the distance between climbable horizontal rails greater than 900mm?
YES	Have you considered the dangers of propping openthe gate?	YES	When squeezing vertical bars, is the gap on either side less than 100mm?
	AROUND THE FENCE		
YES	Have trees near the fence been trimmed so that children can't use them to climb?	DISCLAIMER This checklist is for educational purposes only. It in no way is a substitute for having a licensed pool safety inspector check your pool. These can be found at https://www.qbcc.qld.gov.au/pool-checklist/ which needs to be interpreted in conjunction with AS 192	
YES	Is there a clear 300mm on inside of fence and clear 1200mm on the outside of the fence?		
Ϊ́	Are climbable items removed from near the fence?		